

AIRWEL[®]

BIO-COLLECTORS

Accelerate your air sampling



BIO-COLLECTORS

Accelerate your air sampling

AIRWEL®

EXCLUSIVE



AUTO-TEST (option)

In situ airflow check
Check your airflow whenever you like !



GAS STATION (option)

Compressed gas adapter

Fully hermetic

IP65 dust and water protection

Services

Manufacturer or dealer calibration
Qualification : IQ/OQ protocol

Battery charger

Wireless - 10h autonomy



Safety management


Cascade password
3 levels :
Operator - Manager - Service

Full traceability

GMP/GLP - 21 CFR PART 11

Import data

Bluetooth bar code scan



Export data



Light and compact

1.6 kg



Petri dish : 90mm-55mm



Airflow : 100L/min - 200L/min



**INCREASE YOUR PRODUCTIVITY
WITH 200L/MIN !**



COMPLIANCE	AIRWEL	AIRWEL+
IP65		✓
ISO14698 / ISO17025	✓	✓
USP797 / USP116	✓	✓
EU GMP / GLP	✓	✓
21 CFR PART 11		✓
TRACEABILITY		
Bluetooth module	✓	✓
PC software	✓	✓
App. Android (PC/smartphone/tablet)	✓	✓
CALIBRATION		
Auto-test (option)		✓
A.B.E. or dealer calibration	✓	✓
BENEFITS		
Cascade password		✓
Wireless induction charger		✓
Battery autonomy	More than 10 hours	
Type of dishes	90 mm or 55 mm	
Type of heads	Stainless steel or Disposable polyester	
Airflow	100L or 200L / min	
Transport case	Light	Rigid
Multi-mode aspirating cycles	Uninterrupted	Fragmented
Antigerm painting	✓	✓
DIMENSIONS		
W x H x D	130 x 330 x 150 mm	
Weight	1.6 kg	
Power supply	120-230 V - 50-60Hz / 120 W	
Country of origin	France - European Union	France - European Union